L Number	Hits	Search Text	DB	Time stamp
-	14	(unsolicit$3 adj (notification or error) adj message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 10:14
-	2	("5600791").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 14:46
-	1	BICnum	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/12 14:35
-	4	(((error or notification) adj message) or alarm or event or trap) with (ID or identifier) same (operation adj manager)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 14:48
-	6729	(((error or notification) adj message) or alarm or event or trap) near5 (ID or identifier) and 2ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/12 14:48
-	16	(((error or notification) adj message) or alarm or event or trap) near5 (identifier adj number) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 15:33
-	279	identifier with (error adj message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 10:52
-	161	identifier with (error adj message) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 14:47
-	2	("6445774").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 12:31
-	1	(error adj message) with (basic adj encod$3 adj rule)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 14:47
-	1	(error adj message) with (encod$3 adj rule)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 14:47
-	7138	(((error or notification) adj message) or alarm or event or trap) with (ID or identifier) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 14:48
-	1	identifier with (error adj message) same MIB and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:30
-	0	(((error or notification) adj message) or alarm or event or trap) adj4 definition$1! near5 (identifier adj number) with properties and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 16:29

-	0	(((error or notification) adj message) or alarm or event or trap) adj4 definition$1! with (identifier adj number) with properties and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 16:29
-	0	(((error or notification) adj message) or alarm or event or trap) adj4 definition$1! with (identifier) with properties and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 16:30
-	35	(((error or notification) adj message) or alarm or event or trap) with (identifier) with properties and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 18:07
-	7	pars$3 adj4(((error or notification) adj message) or alarm or event or trap) with (identifier) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 18:07
-	9	defin$3 near4 (event or (error adj (message or notification)) or trap or alarm) with (unique adj identifier) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:15
-	139	(event or (error adj (message or notification)) or trap or alarm) with (identifier) with descript$4 and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:27
-	0	pars$3 adj6 (event or (error adj (message or notification)) or trap or alarm) adj6(identifier) same descript$4 and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:30
-	129	(event or (error adj (message or notification)) or trap or alarm) adj6(identifier) same descript$4 and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:30
-	3	pars$3 adj6 (event or (error adj (message or notification)) or trap or alarm) adj6(identifier) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:33
-	6	pars$3 adj6 (event or (error adj (message or notification)) or trap or alarm) with (identifier) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:34
-	0	pars$3 adj6 (event or (error adj (message or notification)) or trap or alarm) with (identif$6) with (description or meaning$1!) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:35
-	54	pars$3 adj6 (event or (error adj (message or notification)) or trap or alarm) with (identif$6) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:48
-	1	(property or properties) adj4 specific adj attributes adj5 ((error or notification) adj message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:50
-	1	specific adj attributes adj5 ((error or notification) adj message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:50

-	89	attributes adj5 ((error or notification) adj message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:50
-	55	attributes adj5 ((error or notification) adj message) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:57
-	1	process$3 adj (error adj message) and (pars$3 adj4 (error adj message) adj4 (identification adj number) adj5 (most adj3 meaning))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 12:33
-	2	(pars$3 adj4 (error adj message) adj4 (identification adj number) adj5 (most adj3 meaning))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 13:54
-	0	meanings near5 rules adj6 (error adj message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 13:54
-	1	meanings near5 rules with (error adj message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 13:59
-	5	meanings near5 rules with (((notification or error) adj message) or alarm or event or trap)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 14:01
-	28	meanings with rules with (((notification or error) adj message) or alarm or event or trap)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 15:34
-	11	((709/(223-224).ccls.) and (((identifier or identification or id) near6 (description or meaning$1!)) near6 (((error or notification) adj message) or alarm)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 15:56
-	73	pre-defin$3 adj5 (((error or notification) adj message) or alarm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 15:56
-	13	(pre-defin$3 adj5 (((error or notification) adj message) or alarm)) and (709/(223-224).ccls.) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 16:03
-	46	(pre-defin$3 adj5 (((error or notification) adj message) or alarm)) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 16:32
-	158	defin$3 adj5 ((error or notitication) adj message) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 16:35
-	7	defin$3 adj5 ((error or notitication) adj message) same (management) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 16:44

-	0	fault with occurrance with defin$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 16:45
-	0	fault same occurrance with defin$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 16:45
-	188	fault with occurrence with defin$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 16:45
-	158	(fault with occurrence with defin$3) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 16:46
-	0	significant adj5 (error adj message) adj meaning	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 09:56
-	938	unsolicited adj3 message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 14:53
-	9	unsolicited adj3 message with (identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 10:35
-	140	(pars$3 or examin$5 or check$3 or determin$3 or analyz$3) adj3 (((error or notification) adj message) or event or trap or alarm or warn$3) adj4 ((identification adj (number or value)) or identifier or id)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 10:50
-	0	((pars$3 or examin$5 or check$3 or determin$3 or analyz$3) adj3 (((error or notification) adj message) or event or trap or alarm or warn$3) adj4 ((identification adj (number or value)) or identifier or id)) and @ad<02210604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 10:50
-	84	((pars$3 or examin$5 or check$3 or determin$3 or analyz$3) adj3 (((error or notification) adj message) or event or trap or alarm or warn$3) adj4 ((identification adj (number or value)) or identifier or id)) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 11:51
-	1	(pars$3 or examin$5 or check$3 or determin$3 or analyz$3) adj3 (((error or notification) adj message) or event or trap or alarm or warn$3) adj4 ((identification adj (number or value)) or identifier or id) same ((significant adj meaning) or description) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 10:52
-	0	((identification adj number) or identifier) with (most adj significant adj meaning) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 11:52
-	0	((identification adj number) or identifier) with (significant adj meaning) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 11:52

-	47	((identification adj number) or identifier) with (message near3 description) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 12:05
-	73	object adj identifier with description and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 12:45
-	1010	predefin$3 adj3 (event or trap or notification or (error adj message)) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 12:46
-	11	(predefin$3 adj3 (event or trap or notification or (error adj message))) with ((identification adj (value or number)) or identifier) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 14:19
-	43	pars$3 adj3 ((error adj message) or (unsolicited adj3 notification)) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 14:28
-	0	(identifier adj5 (unsolicited adj3 notification)) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 14:28
-	61	(determin$3 adj6 (meaning or description)) with ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 14:41
-	5	(determin$3 adj6 (meaning or description)) with ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event) with (identifier or identification or name or alias or symbol) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 14:44
-	8	(determin$3 adj6 (meaning or description)) with ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event) same (identifier or identification or name or alias or symbol) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 18:04
-	0	(defin$3 adj4 (meaning$1! with rule)) with ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event) same (identifier or identification or name or alias or symbol) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 14:49
-	6	(defin$3 with ((description or meaning$1!) with (rule$1! or policy or policies))) with ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event) same (identifier or identification or name or alias or symbol) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 15:19
-	13	(defin$3 with ((description or meaning$1!) with (rule$1! or policy or policies))) same ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event) same (identifier or identification or name or alias or symbol) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 17:41
-	2	20020188715.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
-	427	defin$3 adj5 (properties or property or (error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event) with (before or prior) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 17:43

-	2	defin$3 adj5 (properties or property or (error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event) with (before or prior) with identifier and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 17:44
-	0	defin$5 near4 ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event)with (before or prior) with identifier with (properties or property) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 17:45
-	2	defin$5 near4 ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event) with identifier with (properties or property) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 17:46
-	21	defin$5 near4 ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event) near4 (engineer or expert) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 17:47
-	55	((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event) adj4 determin$3 adj4 (identifier or identification) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 18:15
-	2632	exam$5 adj3 (property or properties0 adj4 ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event)) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 18:16
-	1	(exam$5 adj3 (property or properties) adj4 ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event)) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 18:18
-	5	(exam$5 adj6 (property or properties) adj4 ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event)) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 18:19
-	1773	(identifier$1! near4 ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event)) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 18:20
-	9	(pars$3 or exam$8 or scan$4 or analyz$5) adj3 (identifier$1! near4 ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event)) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 18:20
-	122	(pars$3 or scan$4 or read$3 or check$3) adj6 (event$1! or ((error or syslog or unsolicited) adj2 (message$1! or notification$1!)) or trap$1! or alarm$1!) with (((id or identification) adj (number or value)) or identifier$1!) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/07 17:21
-	154	parsing adj code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/07 15:52
-	0	(pars$3 or scan$4 or read$3 or check$3) adj6 (event$1! or ((error or syslog or unsolicited) adj2 (message$1! or notification$1!)) or trap$1! or alarm$1!) with (((id or identification) adj (number or value)) or identifier$1!) same (pars$3 adj code$1!) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/07 16:02

-	0	(pars\$3 or scan\$4 or read\$3 or check\$3) adj6 (event\$1! or ((error or syslog or unsolicited) adj2 (message\$1! or notification\$1!)) or trap\$1! or alarm\$1!) with (((id or identification) adj (number or value)) or identifier\$1!) and (pars\$3 adj code\$1!) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/07 16:10
-	2	("5600791").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/07 16:10
-	2	("6006016").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 13:32
-	25866	(process\$3 adj4 ((event or (error adj (message or notification)) or trap or alarm))) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 11:22
-	337	((process\$3 adj4 ((event or (error adj (message or notification)) or trap or alarm))) and @ad<20010406) and (709/224.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 10:49
-	44	(process\$3 adj4 ((event or (error adj (message or notification)) or trap or alarm)) with ((correlat\$3 or associat\$3 or match\$3) near4 (identifier or identification))) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 11:23
-	1	(identification adj (number or value)) adj4 (identif\$3 or determin\$3) adj4 (pars\$3 adj code\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 13:34
-	1	((number or value)) adj4 (identif\$3 or determin\$3) adj4 (pars\$3 adj code\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 13:34
-	1	((number or value)) adj6 (identif\$3 or determin\$3) adj8 (pars\$3 adj code\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 13:34
-	8	(identif\$3 or determin\$3) adj8 (pars\$3 adj code\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 13:43
-	1	(identification adj (number\$1! or value\$1!)) with (pars\$3 adj code\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/08 13:44
-	915	identifier near4 (properties)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:38
-	490	(identifier near4 (properties)) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:38
-	1	(error adj message) with (combination\$1! near2 meaning\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 13:49

-	0	(error adj message) near3 defin$5 with identifier$1! with (property or properties)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 13:50
-	0	(error adj message) with defin$5 with identifier$1! with (property or properties)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 13:50
-	1	(error adj message) with defin$5 with identif$5 with (property or properties)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 13:52
-	31	(property or properties) adj3 (associat$3) adj3 identifier$1!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 13:59
-	12	((property or properties) adj3 (associat$3) adj3 identifier$1!) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 15:32
-	822	(expert or engineer or user) adj3 defin$3 adj3 (((error or notification) adj message) or alarm or event or trap)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 15:34
-	566	(expert or engineer or user) adj3 defin$6 adj3 ((((error or notification) adj message) or alarm or event or trap)) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 15:35
-	0	(expert or engineer or user) adj3 defin$6 adj3 ((((error or notification) adj message) or alarm or event or trap)) same (identifier$1! with (properties or property)) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 15:36
-	1	(expert or engineer or user) adj3 defin$6 adj3 ((((error or notification) adj message) or alarm or event or trap)) and (identifier$1! with (properties or property)) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 15:58
-	159	(((error or notification) adj message) or alarm or event or trap$1!) same (property adj (number or value)) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 14:54
-	0	add$3 adj6 (identif$6 adj (number$1! or value$1!)) adj5 ((property or properties or attribute$1!) adj2 (value or number))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 16:33
-	0	(increas$3 or add$3) adj6 (identif$6 adj (number$1! or value$1!)) adj5 ((property or properties or attribute$1!) adj2 (value$1! or number$1!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 16:34
-	0	(increas$3 or add$3) adj6 (identif$6 adj (number$1! or value$1!)) near5 ((property or properties or attribute$1!) adj2 (value$1! or number$1!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 16:34
-	1	(increas$3 or add$3) with (identif$6 adj (number$1! or value$1!)) near5 ((property or properties or attribute$1!) adj2 (value$1! or number$1!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 17:13

-	13	(increas$3 or add$3) with (identif$6 adj (number$1! or value$1!)) near5 ((property or properties or attribute$1!) near5 (value$1! or number$1!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 17:20
-	585	add$3 adj5 identification adj number$1!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 17:21
-	458	(add$3 adj5 identification adj number$1!) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 17:21
-	0	add$3 adj4 (value$1! or number$1!) near4 associat$3 adj5 (properties or property or attribute$1!) adj5 to	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 13:57
-	6	add$3 adj4 (value$1! or number$1!) near4 associat$3 adj5 (properties or property or attribute$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 14:46
-	317	add$3 adj4 (value$1! or number$1!) adj5 (identifier or identification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 14:54
-	5	(add$3 adj4 (value$1! or number$1!) adj5 (identifier or identification)) and (identifier with (error adj message)) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 14:47
-	0	(add$3 adj4 (value$1! or number$1!) adj5 (identifier or identification)) and (unsolicited adj3 message$1!) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 14:53
-	0	(add$3 adj4 (value$1! or number$1!) adj5 (identifier or identification)) and (((error or notification) adj message) or alarm or event or trap$1!) same (property adj (number or value)) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 14:54
-	215	add$3 adj4 (value$1! or number$1!) adj5 (identifier or identification) and @ad<20010604	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 14:54